COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

is attached hereto.

[X]

[X]

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled FULLY DISTRIBUTED, SCALABLE INTERFACE, COMMUNICATION SYSTEM, the specification of which:

was filed on August 8, 2000 as Application No. 60/223,824

. [] and	was amended on		(if applicable)		
Ī		n amendments through				
•		I have reviewed and u e claims, as amended				tified
		duty to disclose inforrdance with Title 37,				lity
(a)-(d) or §365(l) of any PCT inte United States of for patent or inv	b) of any frnational a America, entor's ce	eign priority benefits uroreign application(s) application which desired below and have rtificate, or of any PC lication on which priores.	for patent or in ignated at leas e also identified T internationa	nventor's certificate t one country other ed below any foreignal al application havir	te, or §36 r than the gn applic	65(a) e cation
Prior Foreign A	pplication	(s)			Claim Priori	ty?
(Number)	(Co	ountry)	(Day/Mo	onth/Year Filed)	[] Yes	[] No
•		benefit under Title 35 application listed belo		es Code, Sec. 119(e	e) of any	
Provisional App	lication N	o.		Filing Date		
60/223,824		August 8, 2000				
				G 1 G 100	00656	` `

insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Sec. 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Sec. 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application No.) (Filing Date) (Status) (patented, pending, abandoned)

I hereby appoint the following attorneys to prosecute the application, to file a corresponding international application, to prosecute and transact all business in the Patent and Trademark Office connected therewith:

Customer No. 20575

Attorney Name	Registration No.		
	1		
Jerome S. Marger	26,480		
Alexander C. Johnson, Jr.	29,396		
Alan T. McCollom	28,881		
James G. Stewart	32,496		
Glenn C. Brown	34,555		
Stephen S. Ford	35,139		
Julie L. Reed	35,349		
Gregory T. Kavounas	37,862		
Scott A. Schaffer	38,610		
Joseph S. Makuch	39,286		
James E. Harris	40,013		
Graciela G. Cowger	42,444		
Ariel Rogson	43,054		
Craig R. Rogers	43,888		

Direct all telephone calls to Julie L. Reed at (503) 222-3613 and send all correspondence to:

Julie L. Reed Marger Johnson & McCollom, P.C. 1030 SW Morrison Street Portland, OR 97205

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Residence:

Full name of first inventor: Inventor's signature:	Peter Michael Gits	9/26/2000 (Date)
Residence:	Agoura Hills, California	
Citizenship:	United States	

Post Office address: 5550 Fairgrange Drive Agoura Hills, California 91301

Full name of second joint inventor:

Dale J. Seavey

Inventor's signature:

(D)

(D)

Sunol, California

Citizenship: United States

Post Office address: 1180 Kilkare Road Sunol, California 94586

Appendix

```
* Title:
                       Sip Test
       package JiniDiscussion.SipTest;
       import java.rmi.*;
   5
       import net.jini.space.JavaSpace;
       import net.jini.core.lease.*;
       import net.jini.core.transaction.*;
       import net.jini.core.entry.UnusableEntryException;
  10
       import java.util.Vector;
       import JiniDiscussion.SipTest.*;
       import net.jini.admin.Administrable;
       import com.sun.jini.outrigger.*;
       import net.jini.core.entry.*;
       import net.jini.core.event.*;
  15
       import java.rmi.server.*;
       import java.rmi.RemoteException;
       import JiniDiscussion.SipTest.SpaceUtils;
  20
           public class DoubleAgentThread extends Thread implements
       RemoteEventListener
               EventRegistration eventRegSip
                                                         = null;
5 25
               EventRegistration eventTraceRoute = null;
               JavaSpace StartSpace
                                                         = null;
T
               public DoubleAgentEntry daEntry
= 1000 * 60 * 1;
               static int
                                iMaxLeaseFor
T
               boolean bThreadStillGoing
                                                         = false;
10 miles
             static int iLeaseFor
                                                         = 1000*60*1;
n die
             static int iMarginOfError
                                                         = 1000*4;
               SpaceUtils
                               spUtil
                                                                      = null;
٠
پيدا
               SipEntry sipOriginalEntry
                                                         = null;
#:
               boolean bCallActive
                                                               = true;
                   SipEntry seSnapTemplate
                                                               = null;
the Pris
                                                               = OL;
               long lLastTimeStamp
                                                               = null;
               Entry snapImpl
1
1
1
1
40
               DoubleAgentSpaceListener SystemAudit= null;
             boolean bDeleteMark
                                                   = false;
             long lDeleteSanctioned
                                                   = 0L;
       String strDestinationPort
                                            = null;
               String strDestinationAddress
                                                     = null;
               RegistrationEntry tReg
                                                     = null;
  45
               SipUdpServer sipUdpServer
                                                     = null;
               static long lWaitOnTransFor
                                                     = 2L * 1000L;
               boolean bLeaseCancelled
                                                     = false;
             public DoubleAgentThread(DoubleAgentSpaceListener parent, JavaSpace
  50
       tSpace, DoubleAgentEntry daEntry) {
                   this.SystemAudit
                                                       = parent;
                   this.StartSpace
                                                             = tSpace;
                   this.daEntry
                                                             = daEntry;
                          this.sipOriginalEntry
                                                             = new SipEntry();
  55
                   this.sipOriginalEntry.Copy(daEntry.sipCopyEntry);
                   this.tReg
                                                     = daEntry.RegistrationEntryFor;
       if (daEntry.sipCopyEntry.WhereThisMessageIsFrom.compareTo(this.tReg.strDevic
  60
       eIpAddress) != 0){
                        System.out.println("Where the message came from doesn't
       match the registration, ignoring the registration");
                        System.out.println("this.tReg.strDeviceIpAddress = " +
       this.tReg.strDeviceIpAddress);
```

16 2705-128

```
System.out.println("daEntry.sipCopyEntry.WhereThisMessageIsFrom = " +
       daEntry.sipCopyEntry.WhereThisMessageIsFrom);
                        this.tReg.strDeviceIpAddress =
   5
       daEntry.sipCopyEntry.WhereThisMessageIsFrom;
               public void openServerSocket(){
  10
                        this.sipUdpServer = new SipUdpServer();
                        this.sipUdpServer.CreateUdpConnection(0);
                   }catch(Exception ee) {
                        ee.printStackTrace();
  15
               public void run() {
                   try {
  20
                   UnicastRemoteObject.exportObject(this);
                   }catch(RemoteException re){
                          re.printStackTrace();
                        return;
震 25
                   openServerSocket();
                   if(this.daEntry.bDeliverEmbeddedEntry != null)
Ę
                        if(this.daEntry.bDeliverEmbeddedEntry.booleanValue() ==
true)
÷4, [
                            deliverEmbeddedEntry(this.daEntry);
30
                   SipEntry sippy
                                                   = new SipEntry();
                                                   = this.daEntry.strPickupFor;
i en in
                   sippy.ToIndividual
.
                   sippy.DiscussionId
                                                   = this.daEntry.strCallId;
                   sippy.bForwardAlert
                                                   = new Boolean(false);
*a_
                   sippy.bSmartAlert
                                             = new Boolean(false);
£í
  35
                   try {
                                                   = this.StartSpace.notify(sippy,
                          eventRegSip
ill.
       null, this, this.iMaxLeaseFor, null);
M
                   }catch(RemoteException re){
re.printStackTrace();
  40
                   }catch(TransactionException te){
                          te.printStackTrace();
                   deliverEntry();
                          keepRegistrationsAlive();
  45
                   System.out.println("terminating notification lease:
       DoubleAgent for Conference id = " + this.daEntry.strCallId);
                   this.destroy();
  50
             public void keepRegistrationsAlive(){
                   boolean bInterrupted
                                             = false;
                   long lnowTime
                                                   = System.currentTimeMillis();
                   long lSipLeaseExpires
                                             = lnowTime;
                   long ldiff
                                                 = 01:
  55
                   int iInternalCounter
                   if(eventRegSip != null){
                   try {
                          lSipLeaseExpires
       eventRegSip.getLease().getExpiration();
  60
                   }catch(Exception le) {
                          le.printStackTrace();
                          return;
                   while (bInterrupted == false && this.bCallActive == true)
  65
                          try{
```

17

```
if((lSipLeaseExpires - lnowTime < this.iLeaseFor +</pre>
       this.iMarginOfError) && this.bCallActive == true)
                                try {
   5
                                       eventRegSip.getLease().renew(this.iLeaseFor);
                                       lSipLeaseExpires
       eventRegSip.getLease().getExpiration();
                                }catch(Exception le) {
                                       le.printStackTrace();
  10
                                       return;
                                iInternalCounter++;
                                if(iInternalCounter % 10 == 0){
                                    iInternalCounter = 0;
  15
                                    System.out.println("DoubleAgentThread = " +
       this.daEntry.strPickupFor);
                                else
                                    System.out.print("DoubleAgentThread = " +
  20
       this.daEntry.strPickupFor);
                            if(this.bCallActive == false)
                                break;
                            else
25
                                       sleep(this.iLeaseFor/3);
                            lnowTime = System.currentTimeMillis();
ij.
                          }catch(InterruptedException ie){
T
                                ie.printStackTrace();
, a. į
                          bInterrupted = true;
30
                          break:
ing is
.
.
                   bLeaseCancelled = true;
ha. [
                   System.out.println("Call completed, cancelling
       DoubleAgentThread lease");
  35
try
Ţ
                        eventRegSip.getLease().cancel();
N
                    }catch(UnknownLeaseException ule) { ule.printStackTrace();
                    }catch(RemoteException re) {
                                                                re.printStackTrace();
ı,Eİ
             }
               }
                   public void destroy(){
  45
                   System.out.println("removing notification lease for
       DoubleAgentThread."+ this.daEntry.strPickupFor);
                    if(eventRegSip != null && bLeaseCancelled == false)
                                eventRegSip.getLease().cancel();
  50
                          }catch(UnknownLeaseException ule) {
             ule.printStackTrace();
                          }catch(RemoteException re) {
             re.printStackTrace();
  55
                 if(this.sipUdpServer != null)
                        if(this.sipUdpServer.UdpSocket != null){
                                sipUdpServer.UdpSocket.close();
                                sipUdpServer.UdpSocket.disconnect();
  60
                                catch(Exception sockErr) {
                                sockErr.printStackTrace();
                                      System.out.println(sockErr.getMessage());
                          }
  65
                        this.sipUdpServer = null;
```

18

```
}
            public void notify(RemoteEvent theEvent) throws
      UnknownEventException, RemoteException
  5
        "BetweenerThread.notify()", "notify", theEvent, true);
                   if(theEvent.getID() == this.eventRegSip.getID() &&
      theEvent.getSource().equals(this.eventReqSip.getSource()) ) {
  10
                         System.out.println("DoubleAgentThread.notify()");
                        deliverEntry();
            }
  15
              public void deliverEntry() {
                  SipEntry readSip
                                                 = null:
                  boolean bContinueChecking
                                                 = true;
                  seSnapTemplate
                                                             = new SipEntry();
 20
                  seSnapTemplate.ToIndividual
                                                 = this.daEntry.strPickupFor;
                  seSnapTemplate.DiscussionId
                                                 = this.daEntry.strCallId;
                   seSnapTemplate.bForwardAlert
                                                = new Boolean(false);
                  seSnapTemplate.bSmartAlert
                                                       = new Boolean(false);
                  while (bContinueChecking) {
[] 25
                         try {
                         readSip = (SipEntry)
:C
      this.StartSpace.takeIfExists(seSnapTemplate, null, lWaitOnTransFor);
if(readSip != null){
***<u>*</u>
                               forwardToDestination(readSip);
30
[al
            markThreadForFutureDeleteIfDone(readSip);
-
-
-
-
-
                               SystemAudit.setFilter(Thread.currentThread(),
readSip);
                               SystemAudit.outPrintln("sent sipEntry ---> to " +
      readSip.ToIndividual + readSip.toString());
                               System.out.println("sent sipEntry ---> to " +
C)
       readSip.ToIndividual + readSip.toString());
else {
                               bContinueChecking = false;
                               this.lLastTimeStamp
      System.currentTimeMillis();
                         }catch(RemoteException re) {
  45
            re.printStackTrace();
                                                             te.printStackTrace();
                         }catch(TransactionException te){
                   }catch(UnusableEntryException ue) {    ue.printStackTrace();
                         }catch (Exception e) {
  50
             e.printStackTrace();
               }
  55
              public boolean deliverEmbeddedEntry(DoubleAgentEntry daEnt) {
                   SipEntry readSip
                                      = daEnt.sipCopyEntry;
                   try {
                         if(readSip != null){
  60
                           this.lLastTimeStamp
                                                 = System.currentTimeMillis();
                           return(forwardToDestination(readSip));
                   }catch (Exception e) {
                                                             e.printStackTrace();
  65
                   return false;
               }
```

2705-128

19

```
public boolean forwardToDestination(SipEntry sipForward) {
                                             if(sipUdpServer == null)
                                                      return false;
                                             else if(sipUdpServer.UdpSocket == null)
       5
                                                      return false;
                                             return(sipUdpServer.sendThreadSpaceToSip(tReg, sipForward));
                                   }
     10
                                   public void completeCall(){
                                             this.bCallActive = false;
                                   public String getCallId(){
     15
                                             return this.daEntry.strCallId;
                                   public long getLastActivity(){
                                             return this.lLastTimeStamp;
    20
                                   public long setLastActivity(long tStamp) {
                                             this.lLastTimeStamp = tStamp;
                                             return this.lLastTimeStamp;
25
ı[]
                                             public boolean isMarkedForDelete(){
ij.
                                             return this.bDeleteMark;
٠
الم
                              public long getDeleteMarkedTime() {
A TOTAL SECTION OF THE PERSON 
                                             return this.lDeleteSanctioned;
35
                              public void MarkDeleted() {
                                             this.bDeleteMark
                                                                                                       = true;
                                             this.lDeleteSanctioned
                                                                                                       = System.currentTimeMillis();
                                             this.completeCall();
                              }
40
                              public void markThreadForFutureDeleteIfDone(SipEntry sipMessage) {
                                             if(this.bDeleteMark == true)
                                                            return;
                                             int iIndexOfCANCEL = sipMessage.SipStuff.indexOf("CANCEL");
                                                                                             = sipMessage.SipStuff.indexOf("BYE");
                                             int iIndexOfBYE
                                             if( (sipMessage.SipStatus.compareTo("BUSY")
     45
                                                                                                                                                                 ==0 )
                                                                                                                                                                                  (sipMessage.SipStatus.compareTo("Busy")
                                                                                                                                                                      == 0 )
                                                                                                                                                                      == 0 ) | |
                                                            (sipMessage.SipStatus.compareTo("BYE")
                                                                                                                                                                      == 0 &&
                                                            (sipMessage.SipStatus.compareTo("OK")
                iIndexOfCANCEL > 0 ) ||
     50
                                                            (sipMessage.SipStatus.compareTo("CANCEL")
                iIndexOfCANCEL > 0 ) ||
                                                            (sipMessage.SipStatus.compareTo("OK")
                                                                                                                                                                      iIndexOfBYE > 0 )
                                                            (sipMessage.SipStatus.compareTo("ACK")
                                                                                                                                                                      == 0 & &
     55
                iIndexOfBYE > 0 )
                                            ) {
                                                           this.MarkDeleted();
                                                           System.out.println("\n\n\t\tMarking " +
                this.daEntry.strPickupFor + " thread for Future Delete");
     60
                           }
```

20 2705-128